

All census data from that date forward will be updated to reflect accurate totals. This option should be queued to run every night.

ROUTINE: AUTO^DGPMBASAB SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: AUTO-RECALCULATION OF G&L STAT

DG PTF BACKGROUND JOB MENU TEXT: PTF Background Job
TYPE: run routine CREATOR: POSTMASTER

PACKAGE: REGISTRATION

DESCRIPTION: Update to run nightly to update length of stay in PTF record for active admission records and to update means test indicator in PTF in Open PTF records.

ROUTINE: ACTIVE^DGPTFUP SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: PTF BACKGROUND JOB

DG SENSITIVE RCDS RPT-TASK MENU TEXT: ISO Sensitive Records Report Tasked
TYPE: run routine CREATOR: XXXXXXXXXX

PACKAGE: REGISTRATION

DESCRIPTION: This option will automatically send a VistA email to the mail group of DG ISO SENSITIVE RCRDS. This report gives a summary of all sensitive patient records accessed for the previous day. It includes: patient name, user name, title of user, option/protocol that was used when the patient record was accessed, date/time the record was accessed and if the patient record was an inpatient at the time.

ROUTINE: EN^DGISORPT TIMESTAMP OF PRIMARY MENU: 60128,39249
UPPERCASE MENU TEXT: ISO SENSITIVE RECORDS REPORT T

DG SERIOUSLY ILL LIST MENU TEXT: Seriously Ill Inpatient Listing
TYPE: run routine CREATOR: POSTMASTER

PACKAGE: REGISTRATION

DESCRIPTION: This option is used to generate a listing of those inpatients remaining on the Seriouslyllly Ill list.

ROUTINE: LIST^DGSILL TIMESTAMP OF PRIMARY MENU: 60596,50095
UPPERCASE MENU TEXT: SERIOUSLY ILL INPATIENT LISTIN

DGBT LOCAL VENDOR UPDATE MENU TEXT: Update Local Vendor (COREFLS)
OUT OF ORDER MESSAGE: CoreFLS Disabled (DGBT*1*9)

TYPE: run routine CREATOR: XXXXXXXXXX
PACKAGE: BENEFICIARY TRAVEL

DESCRIPTION: Option performs scheduled (or unscheduled) update of the Local Vendor file (#392.31) with records from the CoreFLS Vendor tables.

ROUTINE: DGBTVUP

UPPERCASE MENU TEXT: UPDATE LOCAL VENDOR (COREFLS)

DGJ IRT UPDATE (Background) MENU TEXT: IRT Update Std. Def. Background Job

TYPE: action CREATOR: XXXXXXXXXXX

PACKAGE: INCOMPLETE RECORDS TRACKING E ACTION PRESENT: YES

DESCRIPTION: This is the background job that will run nightly, after midnight, which will update all admissions for the previous day, by creating an IRT entry for all the standard deficiencies for the facility.

ENTRY ACTION: D AUTO^DGJBGJ TIMESTAMP: 55710,40217

SCHEDULING RECOMMENDED: YES

UPPERCASE MENU TEXT: IRT UPDATE STD. DEF. BACKGROUN

DGPF BACKGROUND PROCESSING MENU TEXT: Patient Record Flag Background

TYPE: run routine CREATOR: XXXXXXXXXXXXX

PACKAGE: REGISTRATION

DESCRIPTION: This option should be scheduled to run once a day. The following functions are processed by this background option: 1. Send review notification messages for pending Patient Record Flag Assignment reviews. 2. Auto retransmitting of rejected HL7 Patient Record Flag Assignment messages.

ROUTINE: EN^DGPFBGR SCHEDULING RECOMMENDED: YES

KEEP FROM DELETING: Yes

UPPERCASE MENU TEXT: PATIENT RECORD FLAG BACKGROUND

DGPRE PRE-REGISTER NIGHT JOB MENU TEXT: Preregistration Nightly Job

TYPE: run routine CREATOR: XXXXXXXXXXX

DESCRIPTION: This job will delete/add new entries to the Pre-registration call list. This job should be scheduled to run nightly through the OPTION SCHEDULING file.

ROUTINE: EN^DGPREBJ SCHEDULING RECOMMENDED: YES

UPPERCASE MENU TEXT: PREREGISTRATION NIGHTLY JOB

DGQE BACKGROUND PROCESSING MENU TEXT: VIC Background Processing

TYPE: run routine CREATOR: XXXXXXXX

PACKAGE: REGISTRATION

DESCRIPTION: This option calls the background processing driver for the VIC Redesign project. The option should be scheduled to run daily using TaskMan.
ROUTINE: EN^DGQEBGR
UPPERCASE MENU TEXT: VIC BACKGROUND PROCESSING

DGRU ASIH BACKGROUND JOB MENU TEXT: RAI ASIH Background Processor
TYPE: run routine CREATOR: XXXXXXXX
DESCRIPTION: Checks if any ASIH patients have exceeded 30 days.
ROUTINE: EN^DGRUASIH
UPPERCASE MENU TEXT: RAI ASIH BACKGROUND PROCESSOR

DGRU RAI BATCH UPDATE MENU TEXT: Background job for updating RAI/MDS COTS
TYPE: run routine CREATOR: XXXXXXXXX
PACKAGE: REGISTRATION
DESCRIPTION: This option is not intended to be run from programmer mode. No output to the screen is intended. When this job is scheduled through TaskMan it will collect and transmitt all the entries in the PIVOT file that are a COTS UPDATE to patient information . The job will build DGRU PATIENT A08 HL7 v2.3 messages and broadcast them to the COTS subscriber the TCP linkage. The job should be re-scheduled to run about every 10 minutes. The task interval will determine approximately the maximum time it takes for an update to patient information to be broadcast in a HL7 message.
ROUTINE: EN^DGRUGBJ SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: BACKGROUND JOB FOR UPDATING RA

DGRUG MFU BACKGROUND JOB MENU TEXT: MFU Background Job
TYPE: run routine CREATOR: XXXXXX
DESCRIPTION: Background job which checks to see if any Master File Update records need to be sent to the RAI/MDS COTS system via HL7.
ROUTINE: DGRUGSEE UPPERCASE MENU TEXT: MFU BACKGROUND JOB

DVB HAUTO-PURGE MENU TEXT: Auto HINQ Purge
TYPE: action CREATOR: POSTMASTER
E ACTION PRESENT: YES
DESCRIPTION: This option is used in the automatic purging of the HINQ Suspense file.
ENTRY ACTION: D 30^DVBHQPU SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: AUTO HINQ PURGE

DVBA 7132 TASKMAN MENU TEXT: Notification of Discharge via TaskMan
 TYPE: run routine CREATOR: POSTMASTER
 PACKAGE: AUTOMATED MED INFO EXCHANGE
 DESCRIPTION: Task Manager version of auto-notification of discharge.
 ROUTINE: ZTM^DVBADSCK TIMESTAMP: 55634,35882
 SCHEDULING RECOMMENDED: YES
 UPPERCASE MENU TEXT: NOTIFICATION OF DISCHARGE VIA

DVBA AUTO FINALIZE 7131 TASK MENU TEXT: Automatic 7131 Finalization via TaskMan
 TYPE: run routine CREATOR: POSTMASTER
 PACKAGE: AUTOMATED MED INFO EXCHANGE
 DESCRIPTION: Provides automatic 7131 finalizing via TaskMan. Completely
 removes user obligation for finalizing requests.
 ROUTINE: ZTM^DVBAFINL SCHEDULING RECOMMENDED: YES
 UPPERCASE MENU TEXT: AUTOMATIC 7131 FINALIZATION VI

DVBA C CHECK 2507 INTEGRITY TM MENU TEXT: Check C&P File Integrity (TaskMan)
 TYPE: run routine CREATOR: POSTMASTER PACKAGE: AUTOMATED MED INFO EXCHANGE
 DESCRIPTION: TaskMan version of the 2507 REQUEST integrity checker.
 ROUTINE: GO^DVBCCHKR SCHEDULING RECOMMENDED: YES
 UPPERCASE MENU TEXT: CHECK C&P FILE INTEGRITY (TASK)

EAS MT LETTERS BG PRINT MENU TEXT: Background print job for EAS MT Letters
 TYPE: action CREATOR: XXXXXXXX
 PACKAGE: ENROLLMENT APPLICATION SYSTEM
 E ACTION PRESENT: YES
 DESCRIPTION: Tasked bacground job to print all auto-generated Means Test
 Letters
 ENTRY ACTION: D BCKJOB^EASMTL6B
 UPPERCASE MENU TEXT: BACKGROUND PRINT JOB FOR EAS M

EAS MT LETTERS BG SEARCH MENU TEXT: Background search for MT Anniversary dates
 TYPE: action CREATOR: XXXXXXXX
 PACKAGE: ENROLLMENT APPLICATION SYSTEM
 E ACTION PRESENT: YES
 DESCRIPTION: Background job to be scheduled for recurring searches for 60
 day means test anniversary dates and creates a worklist record with 60, 40, 20

and zero trigger dates for letters/forms to be printed with another print option.

ENTRY ACTION: D QUEUE^EASMTL1
UPPERCASE MENU TEXT: BACKGROUND SEARCH FOR MT ANNIV

QAM TASKED AUTO ENROLL RUN MENU TEXT: Tasked Run of Auto Enroll
TYPE: action CREATOR: POSTMASTER

E ACTION PRESENT: YES

DESCRIPTION: Tasked Run of Auto Enroll: This option runs the active monitors in the QA Monitor file (#743) and auto enrolls any fall outs into the Fall Out file (#743.1). It should be queued to run every night sometime after midnight.

ENTRY ACTION: K QAMTODAY,^UTILITY(\$J,"QAM MONITOR"),^("QAM SERVICE") D ^QAMAUT
OO SCHEDULING RECOMMENDED: YES

UPPERCASE MENU TEXT: TASKED RUN OF AUTO ENROLL

QAN AUTO E-MAIL BRIEF MENU TEXT: Brief E-Mail to Region
TYPE: run routine CREATOR: POSTMASTER

PACKAGE: INCIDENT REPORTING

DESCRIPTION: Automatically generates a brief message to the region regarding an incident.

ROUTINE: QANBRIF SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: BRIEF E-MAIL TO REGION

QAN AUTO E-MAIL DELETE MENU TEXT: Delete E-Mail to Region
TYPE: run routine CREATOR: POSTMASTER

PACKAGE: INCIDENT REPORTING

DESCRIPTION: Automatically captures all deleted cases from the incident file and transmits the data to the region.

ROUTINE: QANDELE SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: DELETE E-MAIL TO REGION

QAN AUTO E-MAIL FULL MENU TEXT: Full E-Mail to Region
TYPE: run routine CREATOR: POSTMASTER

PACKAGE: INCIDENT REPORTING

DESCRIPTION: Automatically captures incidents and generates full reports to the region.


```

SCENI IEMM SUMMARY BULLETIN      MENU TEXT: IEMM Summary Bulletin
  TYPE: run routine                CREATOR: XXXXXXXX
  PACKAGE: SCHEDULING
DESCRIPTION:  Sends IEMM Summary Report as a bulletin.  Uses SCDX INCOMPLETE
ENCOUNTER MGMT bulliten with locally specified mail group as recipient.
  ROUTINE: ENBLT^SCRPI02
  UPPERCASE MENU TEXT: IEMM SUMMARY BULLETIN

SCMC PCMM HL7 TRANSMIT           MENU TEXT: PCMM HL7 Transmission
  TYPE: action                     CREATOR: XXXXX
  PACKAGE: SCHEDULING             E ACTION PRESENT: YES
DESCRIPTION:  This menu option should be queued to run nightly. It will go
thru the "AACXMIT" xref on the PCMM HL7 EVENT file and send an HL7 message to
the NPCD in Austin for each entry.
  ENTRY ACTION: D MAIN^SCMCHL(1)   ROUTINE: MAIN^SCMCHL(1)
  TIMESTAMP OF PRIMARY MENU: 59435,62647
  UPPERCASE MENU TEXT: PCMM HL7 TRANSMISSION

SCMC PCMM NIGHTLY TASK          MENU TEXT: PCMM NIGHTLY TASK*****
  OUT OF ORDER MESSAGE: TEMPORARILY DISABLED -msg 2929167 lld
  TYPE: run routine               CREATOR: XXXXX:
  LOCK: SC PCMM SETUP
DESCRIPTION:  This option should be scheduled once a day. It reviews Patient
team assignments and inactivates patients who have assignment dates greater
than two years old and have not been seen in the last year.
  ROUTINE: NIGHT^SCMCTSK2          UPPERCASE MENU TEXT: PCMM NIGHTLY TASK

SCRPW APM TASK JOB             MENU TEXT: Schedule APM Performance Monitor Task
  TYPE: run routine               CREATOR: XXXXXXXX
  PACKAGE: SCHEDULING
DESCRIPTION:  JOB FOR APM DATA EXTRACT [SCRPW APM TASK JOB], will be
scheduled to run on the 15th of each month as a background job through the
OPTIONSCHEDULING file. It will collect data for the previous month and it will
transmit an HL7 message to AAC.
  ROUTINE: EN^SDPMHLS             TIMESTAMP OF PRIMARY MENU: 59653,26567
  SCHEDULING RECOMMENDED: YES
  UPPERCASE MENU TEXT: SCHEDULE APM PERFORMANCE MONIT

```


SD EWL BACKGROUND JOB MENU TEXT: SD EWL BACKGROUND JOB
TYPE: run routine CREATOR: XXXXXXXX
DESCRIPTION: Displays changes in SD WAIT LIST types using mail group SD EWL
BACKGROUND UPDATE.
ROUTINE: EN^SDWLQSC SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: SD EWL BACKGROUND JOB

SD WAIT LIST TRANS TO AAC MENU TEXT: SD Wait List Trans to AAC
TYPE: run routine CREATOR: XXXXX
PACKAGE: SCHEDULING
DESCRIPTION: Option to transmit wait list data to aac.
ROUTINE: INIT^SDWLTR TIMESTAMP OF PRIMARY MENU: 59178,41130
UPPERCASE MENU TEXT: SD WAIT LIST TRANS TO AAC

SD-PAIT TASKED TRANSMISSION MENU TEXT: Taskman PAIT Transmission
TYPE: run routine CREATOR: XXXXXX
DESCRIPTION: This is the non-interactive tasked background option to
schedule PAIT transmission.
ROUTINE: START^SDRPA00 TIMESTAMP OF PRIMARY MENU: 59499,41272
SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: TASKMAN PAIT TRANSMISSION

SDAM BACKGROUND JOB MENU TEXT: Appointment Status Update (Background)
TYPE: action CREATOR: XXXXX
PACKAGE: SCHEDULING E ACTION PRESENT: YES
DESCRIPTION: This option will update the appointment status for today's
outpatient encounters. If an encounter has not been checked-in, no-showed or
cancelled, then it will be given the status of 'NO ACTION TAKEN'. Such
encounters will not be used as part of NPCDB workload reporting.
This option should be queued to be run daily.
Also, this option will update any encounter date in the last thirty days that
has not been updated. This will help keep the encounter dates updated in case
the option does not execute, for any reason, on a particular date.
Note: Inpatient encounters and encounters for 'non-count' clinics are
not updated since they are not reported to Austin for workload
credit.

A Mailman message will be sent to the mail group specified by the APPT. UPDATE MAIL GROUP site parameter. The message will indicate the overall results of this background job by providing the following information:

- o clinic
- o number of encounters that flagged as 'no action taken'
- o the total number of encounters
- o percentage flagged as 'no action taken'

ENTRY ACTION: D AUTO^SDAMQ SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: APPOINTMENT STATUS UPDATE (BAC

VAQ PDX PURGE MENU TEXT: Purge using default age
TYPE: run routine CREATOR: POSTMASTER

PACKAGE: PATIENT DATA EXCHANGE

DESCRIPTION: This option is used to purge PDX Transactions and their associated data based on the default lifetime stored in the VAQ - Parameter file.

ROUTINE: DEFAULT^VAQPUR SCHEDULING RECOMMENDED: YES
UPPERCASE MENU TEXT: PURGE USING DEFAULT AGE

Clinic Wait Time (CWT) extract

For the purpose of obtaining VA system wide information regarding clinic appointment waiting time, it has been determined that clinic availability data will be extracted and transmitted to Austin for analysis. For more information regarding these extracts, please see patch SD*5.3*192

From programmer mode : **D REQUE^SCRPW70**

*** Extract queuing information on file ***

==> No extract queuing data found

Do you want to schedule both extracts now? YES// **NO**

Select one of the following:

- 1 EXTRACT 1 (PROSPECTIVE)
- 2 EXTRACT 2 (RETROSPECTIVE)
- B BOTH EXTRACTS

Specify which extract you wish to schedule: **BOTH EXTRACTS**

Extract 1 queued for JAN 31,2010@22:00, task number: 264863

Extract 2 queued for FEB 5,2010@22:00, task number: 264864

a)